

XCMC



Jiangmen Tengxin Motorcycle Technology Co., Ltd.
Address: Building 1 and Building 2, No. 168, Qichao, Huicheng,
Xinhui District, Jiangmen City, Guangdong Province, China
Sale Whatsapp: +86 13534879475
Email: xcmc1213@gmail.com



Sports Bike



Street Bike



Retro



Cruiser



ADV



Scooter



Mini



Touring



Off-Road



Underbone



Tricycle

Jiangmen Tengxin Motorcycle Technology Co., Ltd., established on November 25, 2014, is located at Building 1 and Building 2, No. 168, Qichao Avenue, Huicheng, Xinhui District, Jiangmen City, Guangdong Province. It is a technology-based enterprise focusing on the production of road motor vehicles, research and development, and manufacturing of motorcycles and components, with a registered capital of RMB ten million.

As a professional service provider in the motorcycle sector, our company's business scope encompasses the wholesale and retail of motorcycles and their parts, as well as the manufacturing and sales of off-road leisure vehicles and their components. Additionally, we have expanded our operations to include the production and sales of scooters, electric bicycles, and other related transportation vehicles. Furthermore, we venture into diverse fields such as the sales of firefighting equipment and the leasing of non-residential real estate. In terms of technological innovation, we deeply engage in the research and development of core motorcycle technologies, offering comprehensive technical support encompassing technical services, development, consultation, exchange, transfer, and promotion. In the realm of international trade, we possess qualifications for the import and export of goods and technology, actively participating in international market competition with our well-established industrial layout and global perspective.

Since its inception, the company has leveraged the geographical advantages of the Jiangmen motorcycle industry cluster, adhered to the concept of compliant operation, strictly followed national industry regulatory requirements, and continuously provided high-quality motorcycle products and professional services to the market. It is committed to becoming a benchmark enterprise in the motorcycle industry that integrates research and development, production, sales, and service.



● Parameter

XCMC-150-3

Product Dimensions(mm)	2050×840×1280
Max Speed (km/h)	90
Fuel Tank Capacity(L)	10L
Engine type	Single cylinder、 Wind-cooling、 Four stroke
Displacement(ml)	150
Starter system	Electric/kick
Economical Fuel Consumption (L/100km)	≤2.1
Tire Size(Front/Rear)	Front: 2.75-18 Rear: 110/90-16
Max. Power(kw/r/min)	8.2kw /8500r/min
Battery model	12N9Ah-BS Dry cell
Container loading (CKD Packaging of loose parts)	210/40'HQ
Container loading (SKD whole vehicle packaging)	105/40'HQ



Color: Custom

● Parameter

XCMC-125-2A (CG)

Product Dimensions(mm)	1950×740×1005
Max Speed (km/h)	90
Fuel Tank Capacity(L)	8.5L
Engine type	Single cylinder、 Wind-cooling、 Four stroke
Displacement(ml)	125
Starter system	Electric/kick
Economical Fuel Consumption (L/100km)	≤2.1
Tire Size(Front/Rear)	Front: 2.75-18 Rear: 3.00-17
Max. Power(kw/r/min)	8.2kw /7000r/min
Battery model	12N6.5Ah-BS Dry cell
Container loading (CKD Packaging of loose parts)	210/40'HQ
Container loading (SKD whole vehicle packaging)	105/40'HQ



Color: Custom

● Parameter

XCMC-150-2

Product Dimensions(mm)	2050×840×1280
Max Speed (km/h)	90
Fuel Tank Capacity(L)	10L
Engine type	Single cylinder、 Wind-cooling、 Four stroke
Displacement(ml)	150
Starter system	Electric/kick
Economical Fuel Consumption (L/100km)	≤2.1
Tire Size(Front/Rear)	Front: 2.75-18 Rear: 110/90-16
Max. Power(kw/r/min)	8.2kw /8500r/min
Battery model	12N9Ah-BS Dry cell
Container loading (CKD Packaging of loose parts)	210/40'HQ
Container loading (SKD whole vehicle packaging)	105/40'HQ



Color: Custom

● Parameter

XCMC-125-2A (CG)

Product Dimensions(mm)	1950×740×1005
Max Speed (km/h)	90
Fuel Tank Capacity(L)	8.5L
Engine type	Single cylinder、 Wind-cooling、 Four stroke
Displacement(ml)	125
Starter system	Electric/kick
Economical Fuel Consumption (L/100km)	≤2.1
Wheel rim Size(Front/Rear)	Front: 1.40×17 Rear: 1.60×17
Max. Power(kw/r/min)	8.2kw /7000r/min
Battery model	12N6.5Ah-BS Dry cell
Container loading (CKD Packaging of loose parts)	210/40'HQ
Container loading (SKD whole vehicle packaging)	105/40'HQ



Color: Custom

● Parameter

Dimension(L*W*H):	1900×700×1125mm
Wheelbase:	1270mm
Brake system:	front disc and rear drum , CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6125CC,HONGDA. K25 air cooling
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	105KG
Iron frame + carton, Carton dimension	1700*580*870mm
1×40HQ loading	84 pcs

**Color: Custom****● Parameter**

Dimension(L*W*H):	1900×700×1125mm
Wheelbase:	1270mm
Brake system:	front disc and rear drum , CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6125CC,HONGDA. K25 air cooling
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	105KG
Iron frame + carton, Carton dimension	1700*580*870mm
1×40HQ loading	84 pcs

XCMC-UY2.0**Color: Custom**

XCMC-WYN

● Parameter

Dimension(L*W*H):	2040×750×1145mm
Wheelbase:	1370mm
Brake system:	front disc and rear drum , CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	12 inch
Engine:	GY6-125CC,HONGDA. K25 air cooling
Tire:	front 120/70-12 rear 120/70- 12
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	10.0L
Meter:	LCD
Net weight:	123KG
Iron Frame + carton ,Carton dimension	1800×580×870mm
1×40HQ loading	78 pcs



Color: Custom

● Parameter

Dimension(L*W*H):	1900×700×1125mm
Wheelbase:	1270mm
Brake system:	front disc and rear drum ,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6 125CC,HONGDA. K25 air cooling
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	105KG
Iron frame+ carton, Carton dimension	1700*580*870mm
1×40HQ loading	84 pcs

XCMC-CRV



Color: Custom

● **Parameter**

Dimension(L*W*H):	1900×700×1125mm
Wheelbase:	1270mm
Brake system:	front disc and rear drum ,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6 125CC,HONGDA. K25 air cooling
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	105KG
Iron frame+ carton, Carton dimension 1700*580*870mm 1×40HQ loading 84 pcs	

XCMC-UY**Color: Custom**● **Parameter**

Dimension(L*W*H):	1845×710×1110mm
Wheelbase:	1290mm
Brake system:	front disk , rear drum,CBS
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY125cc ,air cooling
Tire:	front 3.50-10rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	4.8L
Meter:	mechanical
Net weight:	105KG
Iron frame+ carton, Carton dimension 1700*580*870mm 1×40HQ loading 84 pcs	

XCMC-FORWARD-2**Color: Custom**

● **Parameter**

Dimension(L*W*H):	1845×710×1110mm
Wheelbase:	1320mm
Brake system:	front and rear disk,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY125CC HANDA125 air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	8.4L
Meter:	LCD
Net weight:	108KG
Iron frame + carton ,Carton dimension	1800×580×870mm
1×40HQ loading	78 pcs

**Color: Custom**● **Parameter**

Dimension(L*W*H):	1915*685*1135mm
Wheelbase:	1340mm
Brake system:	front and rear disk,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	12 inch
Engine:	GY 125CC HANDA,125 air cooling engine
Tire:	front 120/70-12 rear 120/70-12
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	5.6L
Meter:	LCD
Net weight:	107KG
Iron Frame + carton ,Carton dimension	1800×580×870mm
1×40HQ loading	78 pcs

**Color: Custom**

● Parameter

Dimension(L*W*H):	1845×710×1110mm
Wheelbase:	1320mm
Brake system:	front and rear disk,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY125CC HANDA125 air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	dual hydraulic
capacity of tank:	8.4L
Meter:	LCD
Net weight:	108KG
Iron frame + carton ,Carton dimension	1800×580×870mm
1×40HQ loading	78 pcs

**Color: Custom****● Parameter**

Dimension(L*W*H):	1960*740*1225mm
Wheelbase:	1350mm
Brake system:	Front and rear disc brakes,CBS, ABS
Front aluminum wheel:	14 inch
Rear Aluminum wheel:	13 inch
Engine:	Water-cooled250
Tire:	front 110/80-14 rear 130/70-13
Front suspension :	hydraulic
Rear suspension:	Dual airbag hydraulic shock absorbers
capacity of tank:	11L
Meter:	LCD.TFT
Net weight:	154KG
Iron Frame + carton ,Carton dimension	1900*740*1100mm
1×40HQ loading	36 pcs

**Color: Custom**

● Parameter

Dimension(L*W*H):	1980*820*1360mm
Wheelbase:	1400mm
Brake system:	Front and rear disc brakes,CBS, ABS
Front aluminum wheel:	14 inch
Rear Aluminum wheel:	13 inch
Engine:	Water-cooled250
Tire:	front 120/70-14 rear 130/70-13
Front suspension :	hydraulic
Rear suspension:	Dual airbag hydraulic shock absorbers
capacity of tank:	12L
Meter:	LCD.TFT。VA
Net weight:	161KG
Iron Frame + carton ,Carton dimension	1900*740*1100mm
1×40HQ loading	36 pcs

● Parameter

Dimension(L*W*H):	1995*820*1360mm
Wheelbase:	1410mm
Brake system:	Front and rear disc brakes,CBS, ABS
Front aluminum wheel:	14 inch
Rear Aluminum wheel:	13 inch
Engine:	Water-cooled250
Tire:	front 120/70-14 rear 130/70-13
Front suspension :	hydraulic
Rear suspension:	Dual airbag hydraulic shock absorbers
capacity of tank:	12L
Meter:	LCD.TFT。VA
Net weight:	161KG
Iron Frame + carton ,Carton dimension	1900*740*1100mm
1×40HQ loading	36 pcs

XCMC-X-MAX



Color: Custom

XCMC-X-MAX-D



Color: Custom

XCMC-X-F8● **Parameter**

Dimension(L*W*H):	1920*670*1230mm
Wheelbase:	1340mm
Brake system:	front and rear disk,CBS
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	12 inch
Engine:	GY6-50CC air cooling engine
Tire:	front 110/70-12 rear 110/70-12
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	5.5L
Meter:	LCD
Net weight:	95KG
Iron Frame + carton ,Carton dimension	1800×580×870mm
1×40HQ loading	78 pcs

**Color: Custom**● **Parameter**

Dimension(L*W*H):	1710*670*1090mm
Wheelbase:	1170mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	4.9L
Meter:	LCD
Net weight:	79KG
Iron Frame + carton ,Carton dimension	1700×460×870mm
1×40HQ loading	105 pcs

XCMC-X-XGY-3**Color: Custom**

● **Parameter**

Dimension(L*W*H):	1810*700*1090mm
Wheelbase:	1260mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6-50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	5.5L
Meter:	LCD
Net weight:	80KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

XCMC-X-F8**Color: Custom**● **Parameter**

Dimension(L*W*H):	1760*690*1080mm
Wheelbase:	1230mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	4.8L
Meter:	LCD
Net weight:	86KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

XCMC-X-HO MENG-3**Color: Custom**

● **Parameter**

Dimension(L*W*H):	1750*670*1080mm
Wheelbase:	1210mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	4.5L
Meter:	LCD
Net weight:	80KG
Iron Frame + carton ,Carton dimension 1700×580×870mm	
1×40HQ loading 84 pcs	

XCMC-X-Lightning**Color: Custom**● **Parameter**

Dimension(L*W*H):	1750*670*1080mm
Wheelbase:	1210mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	4.5L
Meter:	LCD
Net weight:	80KG
Iron Frame + carton ,Carton dimension 1700×580×870mm	
1×40HQ loading 84 pcs	

XCMC-X-Qiao Ge**Color: Custom**

● Parameter

Dimension(L*W*H):	1880*695*1130mm
Wheelbase:	1320mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	91KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

**Color: Custom****● Parameter**

Dimension(L*W*H):	1880*695*1130mm
Wheelbase:	1320mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	91KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

**Color: Custom**

● Parameter

Dimension(L*W*H):	1900*730*1180mm
Wheelbase:	1320mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	94KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

XCMC-X-DRV-1**Color: Custom****● Parameter**

Dimension(L*W*H):	1900*730*1180mm
Wheelbase:	1320mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	double hydraulic
capacity of tank:	7.4L
Meter:	LCD
Net weight:	94KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

XCMC-X-DRV-2**Color: Custom**

● **Parameter**

Dimension(L*W*H):	1775*700*1090mm
Wheelbase:	1265mm
Brake system:	front and rear disk,
Front aluminum wheel:	10 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	4.9L
Meter:	LCD
Net weight:	84KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

● **Parameter**

Dimension(L*W*H):	1790*680*1060mm
Wheelbase:	1250mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 3.50-10 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	5.4L
Meter:	LCD
Net weight:	81KG
Iron Frame + carton ,Carton dimension	1700×460×870mm
1×40HQ loading	105 pcs

XCMC-X-HUAN WU**Color: Custom****XCMC-X-JOG****Color: Custom**

● Parameter

Dimension(L*W*H):	1850*720*1130mm
Wheelbase:	1280mm
Brake system:	front and rear disk,
Front aluminum wheel:	12 inch
Rear Aluminum wheel:	10 inch
Engine:	GY6- 50CC air cooling engine
Tire:	front 90/90-12 rear 3.50-10
Front suspension :	hydraulic
Rear suspension:	Hydraulic single shock absorber
capacity of tank:	5.1L
Meter:	LCD
Net weight:	89KG
Iron Frame + carton ,Carton dimension	1700×580×870mm
1×40HQ loading	84 pcs

**Color: Custom**

XCMC



Jiangmen Tengxin Motorcycle Technology Co., Ltd.
Address: Building 1 and Building 2, No. 168, Qichao, Huicheng,
Xinhui District, Jiangmen City, Guangdong Province, China
Sale Whatsapp: +86 13534879475
Email: xcmc1213@gmail.com
Facebook: <https://www.facebook.com/xcmcmotor/>
Tel: +86 19867367792

